


Tekiò Horizontal

Anthony Dickens. 2017

Pendant lamps


SANTA & COLE



Canopies:



Circular



Rectangular



Tekiò Horizontal is an elegant solution for dressing up a flat surface, such as a table, or for drawing pathways and large open spaces. Its adaptable light source makes it possible to generate the right ambience for every situation. Configurable from one to four modules, it becomes an ally for all uses.

General description:

Washi Japanese paper shade.

Metal structure.

2 options of white grey metal canopy with power supply incorporated: circular or rectangular.

Electric cable length: 5 m / 196.8"

Approximate weight (unpacked):

- (A) Tekiò Horizontal P1: 3 kg / 6.6 lb
- (B) Tekiò Horizontal P2: 4,5 kg / 9.9 lb
- (C) Tekiò Horizontal P3: 6 kg / 13.2 lb
- (D) Tekiò Horizontal P4: 7,5 kg / 16.5 lb

Tekiò Horizontal

Anthony Dickens. 2017
Pendant lamps

Technical information:

Dimmable light source included
LED Module

(A)

Rated input wattage: 43 W (European version) / 34 W (American version)
Luminous flux: 1.251 lm (European version) / 964 lm (American version)

(B)

Rated input wattage: 73 W (European version) / 56 W (American version)
Luminous flux: 2.190 lm (European version) / 1.687 lm (American version)

(C)

Rated input wattage: 100 W (European version) / 73 W (American version)
Luminous flux: 3.128 lm / 2.315 lm (American version)

(D)

Rated input wattage: 120 W (European version) / 87 W (American version)
Luminous flux: 4.067 lm (European version) / 3.051 lm (American version)

(A, B, C, D)

Operating voltage: 24VDC
CCT: 2.200 K - 2.700 K
CRI: 90
Lifetime: 40.000 h

European version: suitable for dimming 1-10V / DALI. Not included external dimmer switch 1-10V / DALI.
American version: suitable for dimming 0-10V. Not included external dimmer switch 0-10V.
Upon request: CASAMBI regulation (bluetooth).
Dim to Warm control 2200K – 2700K.

Suitable only for indoor use.
Always use this light source.

Input voltage: 100 ~ 277 Vac.
(50 Hz / 60 Hz). According to destination.

Regulations:

European version
UNE-EN 60598
UNE-EN 55015
UNE-EN 60529


American version
Dry location only
UL-1598
UL-8750
E-336377

Maintenance:

Clean with a smooth cloth. Do not use ammonia, solvents or abrasive cleaning products. Do not expose to oil vapors or fats.

Others:

The lamp is delivered in different packages.
The assembly instructions are delivered with the product.




Tekiò Horizontal

Anthony Dickens. 2017
Pendant lamps




Models: Tekiò Horizontal / Circular canopy (European Version)



Code P1	Code P2	Code P3	Code P4	Dimming
TKHPA01	TKHPB01	TKHPC01	TKHPD01	1-10 V
TKHPA01D	TKHPB01D	TKHPC01D	TKHPD01D	DALI
TKHPA01C	TKHPB01C	TKHPC01C	TKHPD01C	CASAMBI

Models: Tekiò Horizontal / Rectangular canopy (European Version)




Code P1	Code P2	Code P3	Code P4	Dimming
TKHPA02	TKHPB02	TKHPC02	TKHPD02	1-10 V
TKHPA02D	TKHPB02D	TKHPC02D	TKHPD02D	DALI
TKHPA02C	TKHPB02C	TKHPC02C	TKHPD02C	CASAMBI

Tekiò Horizontal

Anthony Dickens. 2017
Pendant lamps




Models: Tekiò Horizontal / Circular canopy (American Version)



Code P1	Code P2	Code P3	Code P4	Dimming
TKHPA01UL	TKHPB01UL	TKHPC01UL	TKHPD01UL	0-10 V

Models: Tekiò Horizontal / Rectangular canopy (American Version)



Code P1	Code P2	Code P3	Code P4	Dimming
TKHPA02UL	TKHPB02UL	TKHPC02UL	TKHPD02UL	0-10 V

Tekiò Horizontal

Anthony Dickens. 2017
Pendant lamps

Collection: Pendant lamps



Tekiò Vertical



Tekiò Horizontal



Tekiò Circular